I know GIS and I have the software, why is it not happening (the way I hoped)?

Looking at implementation and use of GIS in a small-medium sized public health agency.

or

Seven things you should know before making a map with GIS

Marc Lefebyre

Manager, Population Health Assessment and Surveillance

Resources, Research, Evaluation and Development Division

Sudbury & District Health Unit

Community Data Program Webinar

June 22, 2017

Bonjour, Hello, Aanii

- Territorial Acknowledgement
- Conflict of interest
- My purpose/hope
 - Teach, learn, share (maybe laugh a little)
- Some introductions, I'm Marc


Manager, Population Health Assessment and Surveillance Resources, Research, Evaluation and Development Division Sudbury & District Health Unit (SDHU)

You are....Get to know you poll

What sector do you work in?		
○ Health	54.5	(18)
○ Education	0%	(0)
O Police/Safety	0%	(0)
O Community/Economic Development	18.1	(6)
Welfare/Social Services	6.06%	(2)
Municipal Planning	18.1	(6)
○ Geomatics/GIS	3.03%	(1)

What sort of agency do you work for?			
○ Fed/prov government	9.09	9%	(3)
Municipal government	45.	4	(15)
O Pseudo government agency (arms-length, eg. public health unit, children's aid, health authority)	30.	3	(10)
○ NGO	15.	1	(5)

What is your role?	
O Director	6.25% (2)
○ Manager	9.38% (3)
Analyst/Specialist (e.g. epidemiologist, statistician, economist) but not specifically GIS	68.7 (22)
O Geographer (with GIS background) / GIS specialist	15.6 (5)
O Software Programmer/Developer (including GIS)	0% (0)









Sudbury & District Health Unit (SDHU)


Geography 101



All distance and travel time estimates from Google Maps Populations from Statistics Canada 2011 Census Area. Statistics Canada Cartographic Boundary Files 2011



Chapleau to SDHU main office 420 km 5 hours London ON to SDHU 540 km 5 hours






SDHU:
Pop'n 194,620
Area 50,000sqkm
Density 3.9 person/sqkm




Select South 20: Pop'n 10,351,785 Area 45,000sqkm Density 230.0 persons/sqkm

GIS in the SDHU Resources, Research, Evaluation & Development Division: my dream




My reality



Disclaimer: This is NOT my desk!

"You can't always get what you want...But if you



Some GIS/mapping/Geoviz sw










+ Extensions, scripts and Add-ons








How we use GIS at SDHU Some examples




Data Analysis


What happens when I...




Public




Stakeholder/limited distribution




Internal




Internal





TBD





What you should know before making maps with GIS


1. Basic Cartography




Who can make a map?



Who should make maps?






Snap! I thought I coined this

"If a picture is worth a thousand words, then a map is worth a million." Ordinance Survey, Great Britain

"Whereas cartography is the art and science of mapmaking, cartographic design concerns the map user. It governs the design of a map and it is the cartography that ensures the intended message is delivered both efficiently and aesthetically."

https://www.ordnancesurvey.co.uk/resources/carto-design/

The Design Process - IT IS ITERATIVE!




Types of Maps


- 1. General Purpose (reference) maps
 - Emphasis is on location
- 2. Thematic (special purpose, single topic, statistical map)
- Particular features or concepts
- Structural Characteristics of distance and directional relationships, patterns of location, spatial attributes of magnitude change (Dent pg 6)
- Excludes topographic Maps

Thematic Maps

- Qualitative
 - •spatial distribution or location of Nominal data
- Quantitative
 - •spatial aspect of numerical data: Ordinal or Interval/Ratio scale




Gestalt!





Components of Thematic Maps

- 1. Geographic or Base map (locational info for context) Include only amt of info necessary to convey the map message
- 2. Thematic Overlay
- User must integrate these two visually and intellectually Simply and Clearly

Thematic Map Communication







UK Ordinance Survey Cartographic design principles

- Understanding of user requirements
- Consideration of display format
- A clear visual hierarchy
- Simplicity
- Legibility
- Consistency
- Accessibility
- Good composition

Ontario Ministry of Natural Resources and Forestry






Map Design Considerations for Accessibility

Ministry of Natural Resources and Forestry Mapping & Information Resources Branch January 10, 2017 Title & Subtitles

Legend/Key

Notes

Explanatory Text
Sources
Date
Author
Projection



Scale

Orientation

Insets (Locator/Extent/detail maps)


Geographic Variables and Representation (Phenomena vs. Data)

	Representation			
Scale of Measurement	Point	Line	Area	Surface Volume
	• Town	River	É É Swamp É	
Nominal	Ì Mine	Road	Census Area	
Ordinal	Large Medium Small	Roads Major Minor Trail	Industrial Region Major Minor	
Interval-Ratio	Repetition Graduated	Contour (Isarthms) Flowlines	40 30 20 10	

Symbol Dimensions and Map Type

Symbol Dimension	Мар Туре	
	Qualitative	Quantitative
Shape	X	
Size		X
ColourHueValue (light/dark)Saturation (Intensity/purity)	X	X X
Pattern •Orientation •Arrangement •Texture	X X	X

Some help - Must bookmark! ColorBrewer



Must read...at least the first few chapters

- Thematic Cartography and Geovisualization, Slocum et al. or
- Cartography: Thematic Map Design, Dent et al.


This one you should read through and through


• How to lie with Maps, Mark Monmonier

But beware of wizards and black boxes!





Know your Cartography — and get to know your data






Choropleth maps have draw backs!







Dasymetric mapping – not sure that's better



Not all areas are created equal! Know your subject & data...



...to ensure responsible communication - Map Literacy E.g. ER visits Crude rate vs. Age-standardized rate






EXCEPTION!

Cartographic conventions and design can be put on hold when doing Exploratory Spatial Data Analysis (ESDA)


What you should know before making maps with GIS

2. What is GIS



GIS: beyond desktop mapping


- Basic Spatial Analysis
 - Buffers
 - Spatial Queries
 - Incorporates +++ tools
- Advanced spatial analysis
 - Spatial stats
 - Modelling
- Exploratory Spatial Data Analysis (ESDA)
 - It's like a 2D (even 3D) histogram
 - Spot outliers
 - Find errors




What you should know before making maps with GIS


3. Precision vs. Accuracy and Error propagation


DATA -Accuracy vs. Precision






Just because you can map it, don't presume it's in the right place!!







ESDA Positional Accuracy of Postal Codes P0G1H0 Codes P2A2W8 P0C1K0 POE1BO P0E1M0P0G1E0 POE1COPOE1RO L0L2A0 L0L2B0L4R5K9 L0K1C0 L9M1S4L9M2G9
L9M1S4L9M2J4L9M2E5
L9M1S2 L9M2J2L9M2J3
L4R5H5
L9M2H7
L9M2H9
L9M2J1 L4R1N5L4R4Z8
L9M1R4 L4R5P2L4R5P3
L4R5M4
L4R5M4
L4R5M4
L4R5M6
L0L2J0
L4R5M6 L0K1Y0L0K1Z0 N0H1T0 L9M1R3 LOK1MOL4M4Y8 _LOL1Hø N4L1Y4 N4L1Y5 N4L0A1N4L1Y2 N4L1Y3 LOL1Y2LOL1Y3 L9Y5J1L9Y5J2 L9Y5H8 L0L2SQC0L2V0 L0L1P0 LOL1VQ L9Z2Y5L9Z2Y6 L9Z2Y4 L0L2K0L4M4S9 N0H1N0 L0L1X0

ESDA = Positional Accuracy FSA = N3W







You could grow your target




Using the new Aggregated Dissemination Areas



But some are awfully big!




Custom Geography – that's better



You can try to be even more precise - snipe it!

Surely, geocoding using street addresses would help!



Careful, that thing's loaded!

But beware of wizards and black boxes!





E.g. Geocoding challenges with street addresses

Using a GIS and Spatial Statistics to Model Demand for Emergency Medical Services in the City of Sudbury, Ontario

MA Thesis, Marc Lefebvre

If I could





Yes that's actually ArcView 3.2!

Error Type – Events File

- Typos
 - Street name, number, direction, type
- Wrong data
 - Street, municipality
- Old data (previous address)
- No data
- Transpositions
 - Apartment 2 at 61 Regent Street = 2-61 Regent ST
 - NOT 61-2 Regent ST

Error Source - Events File

Data Collection

- Collected error –paramedic given wrong address
- Created error paramedic enters a different address/municipality than he/she responded to, or misspells

Database Entry

- Transcribed error from above
- Created error e.g., the pick up town "Sudbury" entered as Sudbur6y [sic.], or Suysudbury [sic.]


Error Type - Street Network File

- Outdated address ranges
- Missing address ranges
- Wrong address ranges
- Missing streets

Error Source - Street Network File


- Street name changes
- Street direction (NSEW) eliminated
- E911 requirements, municipal addressing
- New development
- Sloppy GIS

Geocoding Results



Even if addresses were 100%


Watch the Overlay!!!




Add	ressed	Road	Netw	ork
, (MM	1 V J J V W	ILVUM	INVERS	VIII.

Addressed Road Network					
Streetnam	LeftFrom	LeftTo	RightFrom	RightTo	
Elm	100	110	101	111	
Elm	112	120	113	121	
Queen	24	38	25	39	
Queen	40	60	41	61	
Main	201	217	200	218	
Main	219	233	220	234	


What if.....




Irregular Areas



Small Areas



Network Modifications



Error Reduction?

Delimited Address Elements

CALLID	ADDRESS
12346	123, King, St, North, apt 5
12347	58, St. Adelaide, St, ,2

Error Reduction?

Separate Address Elements

CallID	Street Number	Street Name	Street Type	Street Direction	Apt
12346	123	King	ST	N	5
12347	58	Saint Adelaide	ST		2


• better to concatenate than to parse

Error Reduction

- Soft with hardcopy
 - SOP / Memos
 - Quality checks
- Hard with software
 - Electronic Patient Records
 - Forced Entry
 - Drop down lists
 - Valid entries only
 - Look up tables
 - Regular Network Updates


Tip ESDA

- When geocoding street addresses,
- Set strictest parameters 100%




4. Ecological Fallacy


Ecological Analysis




^{*} A deprivation index for health planning in Canada R. Pampalon, PhD (1); D. Hamel, MSc (1); P. Gamache, BSc (1); G. Raymond, BSc (2) Chronic Diseases in Canada, Vol 29, No 4, 2009. http://www.phac-aspc.gc.ca/publicat/cdic-mcbc/29-4/pdf/CDIC_MCC_Vol29_4_ar_05-eng.pdf INSPO: http://www.inspq.gc.ca/santescope/indicedefavo.asp?NoIndD=9



Deprivation Index



But some got hung up on details




5. The MAUP

The Modifiable Areal Unit Problem (MAUP)


How you slice the pie matters

- 1. Aggregation (scale effect)
- 2. Zonation effect

Consider when defining Custom Geo
Or running analysis at varying scales and zones




How different would this picture be?



6. What your data looks like (data literacy and intimacy)

How data are defined/coded

E.g. Rural vs. urban



How data are collected E.g. CCHS

Statistically different than province overall


- 1 Higher
- Lower

Release with caution due to high sampling variability

Moderate and Severe Food Insecurity Proportion for Southern Ontario Health Units **Proportion Moderate and Severe Food** Insecurity Household < 7.5% 7.5% - 9.1% > 9.1% 3557 PHU # PHU Name %MSFI LCI UCI 3527 Brant County Health Unit 10.2 7.8 13.1 9.1 6.9 11.8 3558 3540 Chatham-Kent Public Health 3551 3530 Durham Region Health Department 8.6 6.8 10.9 3558 Eastern Ontario Health Unit 9.1 7.0 11. 3535 9.5 7.0 12.8 3531 Elgin-St. Thomas Public Health 3543 7.0 5.8 8.4 3533 Grev Bruce Public Health 3534 Haldimand-Norfolk Health Unit 7.5 5.7 9.8 3560 3535 Haliburton, Kawartha, Pine Ridge District Health Unit 5.9 4.4 3541 3.8 2.8 3536 Halton Region Health Department 3533 3537 Hamilton Public Health Services 9.7 8.0 11.8 3538 Hastings Prince Edward Public Health 9.9 7.7 12.7 3539 Huron County Health Unit 7.6 5.1 11.3 3541 Kingston, Frontenac and Lennox & Addington Public Health 9.3 7.0 12.2 3530 3542 Lambton Public Health 7.9 6.0 10. 3543 Leeds, Grenville & Lanark District Health Unit 7.2 5.5 9.4 3544 Middlesex-London Health Unit 8.7 6.9 10.9 3546 Niagara Regional Public Health 8.2 6.4 10. 7.2 6.1 8.4 3551 Ottawa Public Health [∼] 3554 3552 Oxford County Public Health 7.0 5.0 9.6 3553 Peel Region Public Health 8.4 7.1 9.8 7.7 5.8 10.3 3554 Perth District Health Unit 12.2 9.2 16.0 3555 Peterborough Public Health 3544 3566 Public Health Wellington-Dufferin-Guelph 8.7 6.8 11.2 3565 Region of Waterloo Public Health 8.3 6.8 10.1 6.7 5.0 8.8 3557 Renfrew County & District Health Unit 3560 Simcoe Muskoka District Health Unit 8.3 6.9 9.9 3566 3595 Toronto Public Health 11.3 9.9 12.9 3540 3553 3568 Windsor-Essex County Health Unit 10.0 7.8 12.7 3570 York Region Public Health Services 3.6 2.8 4.6 8.5 8.1 8.9 3568 353 3565 %MSFI = Porportion Moderate and Severe Food Insecurity LCI = Lower Confidence Interval UCI = Upper Confidence Interval 3537 For Northern Ontario, refer to Food Insecurity map. Prepared by T. Cooley (Sault College GIS program) for the 3527 Sudbury & District Health Unit This map is using the combination of both Moderately Food Insecure Data: Canadian Community Health Survey 2011/12 3546 and Severely Food Insecure levels across Ontario at a Health Unit level and 2013/14 combined Projection: Lambert Conformal Conic Legend values represent all 36 Health Units; therefore, not all severity Kilometers Datum: NAD 1983 proportions are represented in Southern Ontario.

7. Assumptions and Parameters

What goes on in the Black Box?



You set parameters, make choices

Know the defaults and beware

The Moran's I statistic for spatial autocorrelation is given as:

$$I = \frac{n}{S_0} \frac{\sum_{i=1}^{n} \sum_{j=1}^{n} w_{i,j} z_i z_j}{\sum_{i=1}^{n} z_i^2}$$
(1)



where z_i is the deviation of an attribute for feature i from its mean $(x_i - X), w_{i,j}$ is the spatial weight between feature i and j, n is equal to the total number of features, and S_0 is the aggregate of all the spatial weights:

$$S_0 = \sum_{i=1}^n \sum_{j=1}^n w_{i,j}$$
 (2)

Dig a little

http://pro.arcgis.com/en/pro-app/tool-reference/spatial-statistics/h-how-spatial-autocorrelation-moran-s-i-spatial-st.htm

 $\begin{cases} 1 & \text{centroid is one of nearest; is within specified distance; shares a common boundary; } 1^{\text{st}} \text{ order, } 2^{\text{nd}} \text{ order neighbour} \\ 0 & \text{otherwise} \end{cases}$


Tip ESDA: Try 2-3 methods, compare results

Tips

- ESDA
- Use HELP
- Community of practice/vendor support
- Get to know your data intimately
 - Open your attribute (tabular non spatial files) files
 - Use the



button, a lot



Conclusion



GIGO The wrong user

Good GIS/Good Cartography are Science and Art but anyone can do it

